

## Transaction Information

|                     |            |
|---------------------|------------|
| Tool ID             | ACM602     |
| Tool Status         | Connected  |
| Location            | Dresden    |
| Wafer Size          | NA         |
| Fab Section         | CMP        |
| Tool Available Date | 2019-03-15 |

## General Product Information

|                   |                 |
|-------------------|-----------------|
| Vendor Supplier   | AMAT (Semitool) |
| Model             | ACMS0XT-ASG-E   |
| Vintage           | 2006            |
| Serial No         | T239012         |
| Asset Description |                 |
| Software Version  |                 |
| CIM               |                 |
| Process           |                 |

## Hardware Configuration

| System Type       | Description        | Quantity | Status |
|-------------------|--------------------|----------|--------|
| Others            |                    |          |        |
| Others            |                    |          |        |
| Handler System    | NA                 |          |        |
| Factory Interface | NONE               |          |        |
| Options System    | Org. Analyzer      | 1        | OK     |
| Options System    | Replenishment Unit | 7        | OK     |
| Others            |                    |          |        |
| Main System       | Main Tool          | 1        |        |
| Options System    | Inorg Analyzer     | 1        | OK     |
| Others            |                    |          |        |

## Excluded Items List (Pumps, Chillers & Abatement are all excluded)

| Description | Quantity |
|-------------|----------|
| Elektroden  | 6        |
| BNC Kabel   | 3        |
|             |          |

\* List above may or may not be comprehensive. Tool is sold in "as-is" condition. To ensure your satisfaction, we strongly recommend to make an appointment to inspect this and every tool you are interested in.

## Tool Pictures

|         |           |
|---------|-----------|
| General | Main Tool |
|---------|-----------|





Hardware Sub-fab

Repl. Unit



Manufacture Serial

NONE

**SEMITOOL®**

655 W. RESERVE DR., KALISPELL, MONTANA 59901

MODEL NO.: ACMS0XT-ASG-E

SERIAL NO.: T239012

SUPPLY VOLTAGE: 240Volts AC

ELECTRICAL DIAGRAM NO.: 630413

PHASE: 1 PHASE, 3 WIRE

LARGEST MOTOR OR LOAD: 20AMPS

FULL LOAD CURRENT: 20AMPS

SHORT CIRCUIT INTERRUPT: 100,000AMPS

FREQUENCY: 50/60Hz.

YEAR OF MFG 03/2006

OVERCURRENT PROTECTION PROVIDED AT MACHINE TERMINALS